

Ongoing and Planned PrEP Open Label, Demonstration and Implementation Projects, April 2019 AVAC Global Advocacy for HIV Prevention

Trial/Project	Sponsor/Funder	Type/Category	Location	Population	Design/Key questions	Status	Status Details
13-5 Demonstration Project	TBD	Demonstration Project	China	MSM	TBD	Ongoing	Ongoing.
3Ps for Prevention Study (Perception, Partners, Pills)	DTHF; University of Washington; funded by NIMH, BMGF	Demonstration project	South Africa	AGYW	Demonstration project in Masiphumilele (Cape Town) assessing uptake to oral PrEP and effect of conditional incentives based on drug levels on adherence to oral PrEP. Through BMGF supplemental funding, PrEP demand creation campaign is being developed with McCann South Africa and PrEP uptake will be enumerated.	Ongoing	Ongoing; started February 2017.
A Pilot Study of Oral Pre-Exposure Prophylaxis for HIV Prevention in Transgender Women in Malaysia	U.S. National Institute on Drug Abuse	Demonstration Project	Malaysia	Transgender Women	A longitudinal, observational study that aims to evaluate the implementation of PrEP for key populations in the Malaysian context. Focused on transgender women, a group with high vulnerability to HIV in Malaysia. Participants will be screened and confirmed HIV-uninfected. Eligible participants will be evaluated at baseline, month 1, and quarterly follow-up evaluations at months 3, 6, 9, and 12.	Ongoing	Ongoing; started March 2018.
A pilot-project of antiretroviral HIV pre-exposure prophylaxis for men who have sex with men in Klang Valley, Malaysia	UNAIDS, WHO, Global Fund	Demonstration Project	Malaysia	MSM	A longitudinal, observational study that aims to evaluate the implementation of PrEP for key populations in the Malaysian context. Focused on men who have sex with men (MSM), a group with high vulnerability to HIV in Malaysia. Participants will be screened and confirmed HIV-uninfected. Eligible participants will be evaluated at baseline, month 1, and quarterly follow-up evaluations at months 3, 6, 9, and 12.	Ongoing	Ongoing; started March 2018.
AMPrEP (Amsterdam PrEP)	GGD Amsterdam; Soa Aids Nederland; AIDS Fund	Demonstration Project	Netherlands	MSM, transgender people	Evaluates PrEP in 370 MSM and transgender people. Participants can choose between taking PrEP on a daily basis, or according to a fixed schedule before and after anal sex. Focuses on interest in using PrEP, compliance/adherence and cost-benefit analysis. The outcomes of the project will be used to give an opinion on the inclusion of PrEP as a standard intervention for HIV prevention in the Netherlands.	Completed	Completed; ended December 2018.
Anova Health Institute's Health4Men Initiative	Anova Health Institute, Desmond Tutu HIV Foundation; Elton John AIDS Foundation	Demonstration Project	South Africa	MSM	Limited rollout of PrEP among 300 MSM at two sites. Primary research question: Can primary health care nurses provide PrEP to MSM at a primary health care level?	Completed	Completed; ended December 2017.
BCN PrEP Point	TBD	Implementation Project	Spain	MSM, Transgender women	TBD	Ongoing	Ongoing.
Be PrEPared	Institute of Tropical Medicine (ITM) Applied Biomedical Research (TBM) Program of the Research Fund – Flanders (FWO)	Demonstration Project	Belgium	MSM	To determine if PrEP is acceptable, can be taken safely and whether it can be integrated into existing prevention strategies. Provides daily, intermittent or late start PrEP, and offers participants the opportunity to different timing during the trial. Enrolling 200 MSM aged 18 and over who have a high risk of infection for 18 months, with follow-up every 3 months.	Completed	Completed; no longer providing PrEP to former participants.
Benin Demonstration Project with CHU de Québec (Canada)	BMGF	Demonstration Project	Benin	FSW	To assess feasibility and usefulness of integrating TasP and PrEP to combination prevention package offered to FSWs in Benin; identify best way to successfully implement TasP and PrEP in this setting and to ensure their adoption by national policymakers as part of the HIV prevention package for FSWs.	Completed	Completed; still providing PrEP.
Bridge to Scale Implementation Project (Jilinde Project)	BMGF, Jhpiego	Implementation Project	Kenya	FSW, MSM, AGYW, Discordant Couples, General population, PWID	This project aims to outline and demonstrate an effective model for Pre-exposure Prophylaxis (PrEP) scale-up as an HIV-prevention intervention in low-resource settings.	Ongoing	Ongoing; started November 2016.

<b>California Collaborative Treatment Group Consortium/ALERT (Active Linkage, Engagement and Retention to Reduce HIV)</b>	California Collaborative Treatment Group	Demonstration Project	USA	MSM	Plans to enroll 400 eligible high-risk MSM, for two years who will receive daily TDF/FTC-based PrEP, into a randomized study that evaluates whether a text messaging-based adherence intervention can improve adherence to the PrEP medication.	Completed	Completed; ended October 2015.
<b>CAPRISA 082: Prospective Study of HIV Risk Factors and Prevention Choices in Young Women in KwaZulu-Natal, South Africa</b>	USAID; CAPRISA	Observational study	South Africa	Adolescent girls and young women aged 18-24; women 25-30	Observational study looking at: 1) demographics, 2) HIV risk perception and behavioural assessment, 3) acceptability assessment of expanded HIV prevention options. Data on PrEP uptake, adverse events, usage, barriers, PrEP cycling, adherence by pill count and drug levels will be collected.	Completed	Completed; study closed February 2018.
<b>CAPRISA 084: A demonstration project of daily oral PrEP as part of sexual reproductive health services for young women at high risk of acquiring HIV in KwaZulu-Natal</b>	USAID; CAPRISA	Demonstration project	South Africa	Adolescent girls and young women aged 18-24; women 25-31	This PrEP demonstration project will identify in two high HIV burden districts in KwaZulu-Natal: who is likely to use PrEP; how PrEP will be used (understanding pill taking practices); barriers to consistent adherence; how PrEP will change current behavioral practices for HIV prevention (risk compensation); and what support and training is required for service providers.	Completed	Completed; study closed November 2018.
<b>PrEP-ara: Catalonia PrEP study</b>	Government of Catalonia	Demonstration Project	Spain	High Risk Individuals	TBD	Ongoing	Ongoing; started January 2018.
<b>China GAP PrEP demonstration project</b>	TBD	Demonstration Project	China	MSM	TBD	Ongoing	Ongoing.
<b>Choices For Adolescent Methods Of Prevention In South Africa (CHAMPS)</b>	NIAID	Demonstration Project	South Africa	AGYW, Adolescent Men	CHAMPS consists of three pilot projects: three pilots: MACHO interrogates adolescent men's attitude to circumcision; Pluspills investigates PrEP; UChoose investigates preferred types of prevention utilizing contraception as the surrogate in 16-17 year-old women.	Completed	Completed; still providing PrEP.
<b>Church of Scotland Demonstration Project</b>	Church of Scotland Hospital	Demonstration Project	South Africa	Adolescent girls, Pregnant Women	Aims to recruit pregnant teenagers at their first ANC visit and enroll them into comprehensive support program, including PrEP, with the aim of improving outcomes for the mothers and babies. Central focus will be assisting young mothers to return to school, prevent acquisition of HIV and postponing further pregnancies. Other adherence strategies will be investigated as well.	Planned	Planned.
<b>CohMSM-PrEP</b>	Expertise France and ANRS	Demonstration Project	Burkina Faso, Côte d'Ivoire, Mali, Togo	MSM, Male sex workers	The project intends to assess the acceptability and feasibility of pre-exposure prophylaxis (PrEP) for men who have sex with men in community-based clinics in four West-African countries.	Ongoing	Ongoing; began November 2017.
<b>Combina Project</b>	University of São Paulo	Demonstration Project	Brazil	High Risk Individuals	Providing PEP and PrEP to at risk individuals in São Paulo, Curitiba, Ribeirão Preto, Fortaleza and Porto Alegre.	Ongoing	Ongoing.
<b>Comercial PrEP</b>	TBD	Implementation Project	Vietnam	High Risk Individuals	2 private clinics in Ho Chi Minh City are providing PrEP (with TA support from USAID/PATH).	Ongoing	Ongoing.
<b>COPE4YMSM: Effectiveness and Cost Effectiveness of a Combination HIV Preventive Intervention with and without daily oral Truvada® pre-exposure prophylaxis (PrEP) with adherence support among young men who have sex with men (YMSM) and transgender women (TGW) aged 18-26 in Bangkok and Pattaya, Thailand</b>	DAIDS, NIAID, NIH	Open Label	Thailand	Male sex workers, MSM, Transgender women, men	The 5-year COPE4YMSM study aims to develop and assess the effectiveness and cost-effectiveness of a combination intervention for prevention of HIV infection among HIV uninfected at risk young (18-26 year old) men who have sex with men (YMSM) and transgender women (TGW) in Bangkok and Pattaya, Thailand. The combination intervention includes individual-level components: regular HIV testing, risk reduction counseling, condom and condom compatible lubricant distribution, syphilis screening and treatment, rectal gonorrhoea and chlamydia screening and treatment; a community-level awareness and mobilization intervention; and the open label offer of daily oral tenofovir/emtricitabine (Truvada®) pre-exposure prophylaxis (PrEP) with adherence support.	Ongoing	Ongoing; started October 2017.
<b>Demonstration Project on the Feasibility to Implement a Pre-Exposure Oral Prophylaxis Program in Men Who Have Sex With Other Men and Transgender Women at Risk of Acquiring HIV</b>	Asociación Civil Impacta Salud y Educación	Demonstration Project	Peru	MSM, Transgender Women	This PrEP research project will be implemented in volunteer MSM and transgender women without diagnosis of HIV infection and at risk of acquiring HIV because of their sexual behavior and prior to this observational study enrollment, be prescribed with PrEP by their primary care providers according to the clinical guidelines of the U.S. CDC and the WHO.	Ongoing	Ongoing; started January 2017.

<b>DISCOVER</b>	Gilead Sciences	Clinical Trial	Austria, Canada, Denmark, England, France, Germany, Ireland, Italy, Netherlands, Scotland, Spain, USA	MSM, Transgender Women	Conducted by Gilead, the purpose of the trial is to assess whether F/TAF (trade name Descovy) is safe and effective as an oral daily HIV pre-exposure prophylaxis (PrEP) product. It is being compared with F/TDF (trade name Truvada), which is approved for use as PrEP in many countries and has already been proven safe and highly effective at reducing HIV acquisition.	Ongoing	Ongoing; started September 2016.
<b>DREAMS</b>	PEPFAR, BMGF, Nike Foundation	Implementation Project	Kenya, South Africa, eSwatini, Uganda, Lesotho, Tanzania, Zambia, Zimbabwe	AGYW	Partnership to reduce HIV infections among AGYW; extends beyond health sector to address poverty, gender inequality, sexual violence, lack of education; PrEP implementation component included.	Ongoing	Ongoing.
<b>Durbar (DMSC) and Ashodaya Samithi Demonstration and Feasibility Project</b>	Durbar (DMSC) and Ashodaya Samithi; WHO, UNAIDS, the O'Neill Institute of Georgetown University, LSHTM, and Imperial College London; funded by BMGF	Demonstration Project and Feasibility Study	India	Female and transgender sex workers	Evaluates potential introduction of PrEP for female and transgender sex workers at Durbar Mahila Samanwaya Committee, a brothel-based project in Sonagachi, and the Ashodaya Samithi project for street-based sex workers based in Mysore. Demonstration project includes female sex workers at Durbar and Ashodaya sites; feasibility study includes female and transgender sex workers at Ashodaya.	Completed	Completed June 2018.
<b>Dyadic-Based Diagnosis, Care and Prevention for HIV Discordant Couples in Tanzania (DDCP)</b>	Medical University of South Carolina/NIH	Implementation Project	Tanzania	Serodiscordant Couples	This is a prospective observational study of couples in Kisarawe, Tanzania who will be provided an intervention that offers: (1) HIV self-testing kits and pre-test counseling provided at the household, (2) linkage to a counseling and referral center for those who test positive, (3) facilitated enrollment to care and treatment for couples with confirmed HIV infection; and (4) access to pre-exposure prophylaxis for the negative partner in a HIV sero-discordant couple.	Ongoing	Ongoing; started November 2017. Expected completion December 2019.
<b>East Bay Consortium/CRUSH (Connecting Resources for Urban Sexual Health)</b>	California HIV/AIDS Research Program of the University of California	Demonstration Project	USA	Young MSM of color	Aims to test and link young MSM of color to sexual health services; enhance and evaluate engagement and retention strategies for HIV-positive young MSM of color; and engage and retain HIV-negative young MSM of color in sexual health services, including PrEP.	Completed	Completed; ended August 2017.
<b>EMPOWER (Enhancing Methods of Prevention and Options for Women Exposed to Risk) Consortium</b>	Wits RHI, LSHTM; USAID	Demonstration Project	South Africa, Tanzania	Adolescent girls and young women aged 16-24 years	An initiative of STRIVE, a research consortium investigating the social norms and inequalities that drive HIV, that integrates violence prevention and combination prevention, including PrEP. Aims to assess whether it is feasible, acceptable, and safe to offer oral PrEP as part of a combination prevention package that addresses gender-based violence (GBV) and HIV.	Completed	Completed; ended December 2017.
<b>EPIC-NSW Trial- Expanded PrEP Implementation in Communities</b>	Kirby Institute	Demonstration Project	Australia	MSM, Transgender Individuals, Serodiscordant Couples, Men & Women at High Risk	The EPIC-NSW PrEP study started out with 3,700 places available through a number of public sexual health clinics and selected GP practices. Focusing on high-risk, mostly gay and bisexual men, today this study is the only uncapped clinical trial of PrEP in Australia, and is enrolling beyond the original 3,700 spots. It has also opened a 200 place study extension in the ACT.	Ongoing	Ongoing; started March 2016. Expected completion March 2019.
<b>EQUIP PrEP Demo in Namibia</b>	TBD	Demonstration Project	Namibia	MSM, PWID, FSW	EQUIP has launched a PrEP demonstration project specifically focused on treatment approaches that effectively respond to Key Population needs and support Test & Start services.	Ongoing	Ongoing.
<b>Expanding Options for HIV Prevention Through Pre-exposure Prophylaxis in Hhohho Region, Swaziland (Sihlomile)</b>	Heidelberg Institute of Public Health; Mylan	Demonstration Project	eSwatini	FSW, MSW, MSM, Transgender Women, AGYW, Adolescent Men, High Risk Women & Men, Serodiscordant couples	An 18 month observation cohort study with the overall aim to assess the operationalization of oral Pre-exposure prophylaxis (PrEP) in Swaziland as an additional HIV combination prevention method among population groups and individuals at high risk of HIV infection.	Ongoing	Ongoing; started August 2017. Expected completion January 2019.

<b>Gender-Specific Combination HIV Prevention for Youth in High Burden Settings (MP3-Youth)</b>	NIH	Demonstration Project	Kenya	Adolescent girls and young women, adolescent men	To evaluate the feasibility and acceptability of a gender-specific combination HIV prevention package for youth in high burden settings. The study aims to pilot a combination package of gender-specific interventions in western Kenya in a mobile health delivery format using integrated services delivery. Interventions include: Male-Specific Intervention Package (HIV counseling and testing; facilitated linkage to care for HIV-positive; condoms; VMMC); Female-Specific Intervention Package (IV counseling and testing; facilitated linkage to care for HIV-positive; contraception/family planning; PrEP; conditional cash transfer).	Completed	Completed; study closed April 2016.
<b>Horizon Project</b>	TBD	Demonstration Project	Brazil	MSM	TBD	Ongoing	Ongoing.
<b>HPTN 082: Evaluation of daily oral PrEP as a primary prevention strategy for young African women: A Vanguard Study</b>	Wits RHI, HPTN; DAIDS, NIAID, NIMH	Demonstration Project	South Africa; Zimbabwe	Adolescent girls and young women (16-25 years)	The goal of this study is to evaluate whether HIV-uninfected sub-Saharan African women ages 16-25 who are at high risk for HIV infection will initiate PrEP and achieve sufficient adherence using scalable adherence support interventions to achieve HIV prevention benefits from this promising biomedical prevention intervention.	Ongoing	Ongoing; started June 2016. Expected completion October 2018.
<b>I-TECH DREAMS Project</b>	CDC/PEPFAR	Implementation Project	Namibia	AGYW, Pregnant women	I-TECH, International Training and Education Center for Health at the University of Washington, is funded by CDC/PEPFAR to implement a DREAMS-like intervention in two regions of Namibia. The DREAMS-like intervention includes provision of PrEP to 15-24 year old adolescent girls and young women.	Ongoing	Ongoing; started October 2017. Expected completion February 2019.
<b>IMPAACT 2009 (DAIDS ID 30020): Pharmacokinetics, Feasibility, Acceptability and Safety of Oral Pre-Exposure Prophylaxis for Primary HIV Prevention during Pregnancy and Breast Feeding in Adolescents and Young Women</b>	International Maternal Pediatric Adolescent AIDS Clinical Trials (IMPAACT) Network	Observational study	Zimbabwe, South Africa, Malawi, Uganda	Adolescent girls and young women aged 16-24 years	Parallel, observational cohort study of HIV-uninfected pregnant adolescents and young women (aged 16-24). The study is designed to characterize adherence over time among women who initiate once daily oral PrEP during pregnancy and continue in the first 6 months following delivery, and to compare pregnancy outcomes among women who take PrEP and women who decline PrEP during the antenatal period.	Ongoing	Ongoing; started February 2019.
<b>Implementation of the Pre-Exposure Prophylaxis (PrEP) to HIV in Brazilian transgender women (PrEPParadas)</b>	Brazilian Ministry of Health	Demonstration Project	Brazil	Transgender Women	A prospective, open, study of PrEP, which aims to assess the acceptability, feasibility and safety from chemoprophylaxis co-formulated emtricitabine / tenofovir disoproxil fumarate (FTC / TDF) administered orally, once daily, to transgender women. The demonstration project aims to include 120 participants over 48 months, at INI-Fiocruz.	Ongoing	Ongoing; July 2017 to July 2020.
<b>ImPrEP</b>	UNITAID; Brazilian Ministry of Health, Peruvian Ministry of Health, Mexican Ministry of Health	Implementation Project	Brazil, Peru, Mexico	MSM, Transgender Men and Women	ImPrEP is a multi-site, open-label PrEP demonstration project with the purpose of assessing the uptake, safety, and feasibility of PrEP in the context of HIV combination prevention at public health services and non-governmental organizations, among men who have sex with men (MSM) and transgender individuals (TG) in Brazil, Mexico and Peru. The study will enroll 7,500 participants (3,000 in Brazil, 3,000 in Mexico, 1,500 in Peru) among MSM and TG who are at higher risk of acquiring HIV infection. The primary objectives are: a) to determine the uptake of daily PrEP among MSM and TG who are offered PrEP in the context of Public Health programs; b) to determine differences in uptake of daily PrEP by sociodemographic characteristics and risk practices; c) to determine differences in duration of PrEP use by sociodemographic characteristics and risk practices; d) to describe the frequency of side effects and toxicities of PrEP among participants enrolled in the study; e) to describe patterns and correlates of adherence to PrEP among participants enrolled in the study; and f) to measure changes in sexual risk behavior among participants enrolled in the study.	Ongoing	Ongoing; started August 2017.
<b>IPERGAY</b>	Inserm-ANRS, the Canadian Trial network, Bill and Melinda Gates Foundation, Fondation Pierre Bergé, Gilead Sciences	Clinical Trial	Canada, France	MSM, Transgender Women	Evaluated "on demand" PrEP with Truvada versus placebo arm. The drug regimen involved taking Truvada in the 24-hour period before anticipated sex and then, if sex happened, two separate one-pill doses in the two days following sex. After the discontinuation of the placebo arm in October 2014, the study will continue open-label until end of June 2016.	Completed	Completed; no longer providing PrEP to former participants.

<b>LAC PATH PrEP Demo Project</b>	University of California, Los Angeles	Demonstration Project	USA	MSM, Transgender women	Plans to enroll 375 high-risk MSM and transgender women who will receive a customized prevention package that may include PrEP.	Completed	Completed; ended May 2017.
<b>LINKAGES Malawi</b>	PEPFAR, USAID	Demonstration Project	Malawi	FSW, MSM	TBD	Ongoing	Ongoing.
<b>LINKAGES Swaziland: Providing Access to HIV Pre Exposure Prophylaxis (PrEP) for those at High Risk in Swaziland</b>	PEPFAR, USAID	Demonstration Project	eSwatini	FSW, Women, Men, MSM, Transgender women and men, AGYW, Adolescent men, Serodiscordant couples	Rates of HIV remain high among women in general, as well as key populations such as, adolescent and young women, female sex workers and men who have sex with men. PrEP for HIV prevention represents a new option for those at high risk and vulnerable to HIV infection to protect themselves from HIV. This study proposes to offer PrEP to key populations and people at high risk of HIV infection through existing service platforms through a demonstration project to determine whether it can be scaled up in a national programme.	Ongoing	Ongoing; started June 2017. Expected completion January 2019.
<b>Linking Women to PrEP Care</b>	Rhode Island Hospital	Clinical trial	USA	Women	Pre-exposure prophylaxis (PrEP) can be very effective at preventing HIV infection among women at high-risk for HIV but is underused in this population. Periods of incarceration represent an opportunity to identify women at risk and link them to PrEP care as they leave jail or prison. This study aims to improve linkage to community-based PrEP care to reduce HIV acquisition in a high-need, underserved community.	Ongoing	Ongoing; started October 2017.
<b>LVCT Health and SWOP Kenya (IPCP-Kenya)</b>	LVCT, SWOP; WHO, UNAIDS, the O'Neill Institute of Georgetown University, LSHTM, Imperial College London; funded by BMGF	Demonstration Project	Kenya	Female sex workers (18 and older), MSM (18 and older), young women at high HIV risk (15 -29)	Introduces PrEP to combination prevention interventions. Feasibility study assessing consumer perceptions, cost, delivery options, potential barriers and opportunities for introduction and adherence completed. Acceptability among target populations, cost, menu of combination interventions and feasible delivery options established. Delivers PrEP as part of combination prevention to 2,100 participants over 12 months in preliminary stages. The project will define criteria for PrEP indication among targeted populations, adherence strategies, health system requirements and model impact of PrEP in Kenya.	Completed	Completed October 2017.
<b>Monitoring Pre-Exposure Prophylaxis in Young Adult Women (MPYA)</b>	NIMH	Demonstration Project	Kenya	AGYW	This protocol describes a longitudinal study of young Kenyan women at high risk for HIV who will be offered HIV pre-exposure prophylaxis (PrEP) for up to two years. Adherence will be monitored in all women with the next generation Wisepill; half will be randomized to receive short message service (SMS) reminders. The technical function, acceptability, cost, and validity of the next generation Wisepill device coupled to SMS reminders will be determined among this cohort of young Kenyan women. Additionally, SMS will be used for longitudinal assessment of risk perception and its alignment with PrEP adherence.	Ongoing	Ongoing; started June 2016. Expected completion May 2020.
<b>MSF AGYW PrEP Demo Program</b>	MSF	Open Label Study	South Africa	AGYW	Clinic-based SRH club for delivery of PrEP to young women in Khayelitsha.	Ongoing	Ongoing; started June 2017.
<b>MSF Swaziland PrEP Demonstration Project</b>	MSF	Demonstration Project	eSwatini	FSW, MSM, Transgender women, Adolescent women, Adolescent men, Women, Men, Serodiscordant couples	This study is working to expand the evidence base related to the feasibility, acceptability, and tolerability of daily oral pre-exposure prophylaxis (PrEP) among key populations in Eswatini.	Ongoing	Ongoing; started September 2017. Results expected June 2019.
<b>MTN-034/IPM 045/REACH</b>	MTN; IPM; NIH; NIAID, NIMH, NICHD	Clinical Trial	South Africa, Kenya, Zimbabwe, Uganda	Adolescent girls and young women aged 16-17 years	Participants will be randomized to product sequence and will use a silicone elastomer vaginal matrix ring (VR) containing 25 mg of dapivirine (DPV) to be replaced each month for a total period of 6 months of use, as well as take oral emtricitabine/tenofovir (FTC/TDF) tablets daily for a 6 month product use period. The primary purpose of this trial is to collect safety and adherence data over the course of study product use. The study will also examine the acceptability of the study products.	Ongoing	Ongoing; started January 2019.

<b>Nigerian National Agency for the Control of AIDS Demonstration Project</b>	Nigerian National Agency for the Control of AIDS; UNAIDS, WHO, the O'Neill Institute of Georgetown University, LSHTM, and Imperial College London; funded by BMGF	Demonstration Project	Nigeria	Serodiscordant couples	Evaluates the effectiveness of models for delivery of PrEP and TasP as combination prevention strategy for 1,200 heterosexual, serodiscordant couples. Couples will be recruited from facilities that provide prevention of vertical transmission, ART and other services. Study findings will be used to inform scale-up of PrEP and TasP as part of comprehensive national HIV-prevention package. Study sites: Anambra, Plateau and Cross River States.	Ongoing	Ongoing; started late 2015.
<b>NZ PrEP</b>	New Zealand AIDS Foundation; Auckland Sexual Health; Body Positive; funded by Auckland District Health Board	Demonstration project	New Zealand	High Risk Individuals, MSM, Transgender Women	The primary aim of this research is to assess the implementation of a novel HIV prevention intervention (PrEP or pre-exposure prophylaxis) at Auckland Regional Sexual Health Service (ARSHS) clinics to individuals at high risk of HIV infection. Objectives: a) To assess acceptability of PrEP for those invited into the study; by measuring adherence; duration; retention; b) To assess risk behaviours on PrEP including sexual partnering; condom use; STI and HIV incidence; c) Investigate factors (socio-demographic and attitudes) associated with PrEP acceptability, adherence, retention and behaviours; d) Survey the views and experiences of PrEP users including disclosure; stigma; sexual negotiation.	Ongoing	Ongoing; started February 2017.
<b>Pangaea SHAZ! Hub Drop-in Centre</b>	PEPFAR	Implementation Project	Zimbabwe	FSW, MSM Transgender Women, Adolescent Men, Women, Men Serodiscordant Couples, Pregnant women, YWSS	This is a youth drop-in centre based in Chitungwiza (30km) from the capital, Harare. The site also serves as a research site.	Ongoing	Ongoing.
<b>Partners Demonstration Project</b>	NIMH/NIH, USAID and BMGF	Demonstration Project	Kenya, Uganda	Men, Women, Serodiscordant Couples	Evaluates HIV prevention preferences among approximately 1,000 HIV serodiscordant couples, adherence to PrEP and ART and interface of reproductive health priorities and ART-based prevention. Will implement PrEP as "bridge" to ART, providing PrEP to HIV-negative partner until the HIV-positive partner has initiated ART.	Completed	Completed.
<b>Partners PrEP Program (PPP)</b>	University of Washington (Sponsor); NIMH (Funder)	Implementation Project	Uganda	Serodiscordant Couples	PPP is a stepped-wedge cluster randomized trial in 12 public health clinics in the Kampala, Uganda area. All clinics began engaging and recruiting couples in June 2018; four facilities began delivering PrEP in December 2018, four additional facilities will begin in June 2019, and the last four will begin by the end of 2019.  The primary objective is to determine the effectiveness of delivering integrated PrEP and ART at public clinics on 1) PrEP initiation, 2) PrEP adherence, 3) ART initiation, and 4) ART adherence among HIV serodiscordant couples. Secondary objectives include determining the degree to which PrEP-taking is a modeled behavior and its potential contribution to ART initiation and adherence and micro-costing.	Ongoing	Ongoing; started June 2018. Expected completion in 2020.
<b>Partners Scale Up Project</b>	BMGF and NIMH/NIH	Demonstration Project (Scale Up)	Kenya	Serodiscordant couples	Delivering PrEP at scale to serodiscordant couples in 24-30 clinics in Kenya and developing PrEP delivery tools.	Ongoing	Ongoing; started February 2017. Expected completion February 2021.

PEPFAR	PEPFAR	Implementation Project	Botswana, China, Côte d'Ivoire, Democratic Republic of Congo, Dominican Republic, eSwatini, Ethiopia, Haiti, Kenya, Laos, Lesotho, Malawi, Mozambique, Namibia, Nigeria, Rwanda, South Africa, Tanzania, Thailand, Uganda, Ukraine, Vietnam, Zambia, Zimbabwe	At risk individuals	Provides PrEP to adults and adolescents at risk of HIV infection.	Ongoing	Ongoing.
<b>Pilot project: pre-exposure prophylaxis (PrEP) for MSM in Kyiv, Ukraine</b>	PEPFAR/CDC (through Alliance for Public Health, ICF)	Demonstration Project	Ukraine	MSM, Transgender women	Involvement of men who have sex with men and transgender people (total 100 people) in a PrEP program for the aim of reducing rate the spread of HIV infection. This pilot project will potentially contribute to the development of a sustainable PrEP delivery model for MSM and TG. If PrEP is successfully implemented, the model could be modified for others at high risk and may contribute a reduction in new HIV infections in Ukraine.	Completed	Completed; ended March 2019.
<b>POWER (Prevention Options for Women Evaluation Research)</b>	University of Washington ICRC, Carnegie Mellon University, DTHF, Harvard U., KEMRI, Massachusetts General Hospital, RTI, Wits RHI; USAID	Demonstration project	Kenya, South Africa	Adolescent girls and young women aged 16-24; women 25-29	Assesses women's preferences for using microbicides and PrEP through demonstration projects with strategic pilots of delivery strategies, first with oral PrEP. Project will characterize choice, uptake, early adherence and identify cost-effective delivery models, including assessment of repeat HIV testing, decision-making within partnerships, and the interface with reproductive health services.	Ongoing	Ongoing; started July 2015. Expected completion June 2020.
<b>Pre-exposure Prophylaxis Expanded (The PrEPX Study)</b>	Burnet Institute, Alfred Hospital and Monash University; funded by Victorian Government, Alfred Health and the Victorian AIDS Council	Demonstration project	Australia	MSM, Transgender Women, Transgender Men, Women, Men, Serodiscordant Couples	This is a multi-site, prospective, open-label, population-level PrEP demonstration study, the primary aim of which is to determine whether the use of daily PrEP by 2,600 Victorians who are at high risk of HIV infection will reduce the number of new HIV infections in Victoria in the following one to three years. The study has now expanded to open 600 additional places in Victoria, 100 in Tasmania, and 500 in South Australia.	Completed	Completed; no longer providing PrEP to former participants.
<b>Pre-exposure Prophylaxis for HIV Prevention Among Men Who Have Sex with Men in Slovenia</b>	Slovenian Research Agency: waiting for results of "public call for tenders" (expected at the beginning of Feb 2018)	Demonstration Project	Slovenia	MSM, Transgender women, Serodiscordant couples, Pregnant women	The purpose of this study is to evaluate the feasibility, acceptability and safety of HIV PrEP in preventing HIV infection among MSM at highest risk in Slovenia. The data obtained in the study would clarify the role of HIV PrEP in Slovenia and would guide the decision on PrEP implementation into national HIV prevention guidelines.	Planned	Expected start March 2018. Expected completion October 2019.
<b>Pre-Exposure Prophylaxis Uptake and Adherence Among male Sex Workers in Mombasa, Kenya</b>	HealthRight International and the Center for Health, Identity, Behavior and Prevention Studies (CHIBPS), MAC AIDS Fund	Demonstration Project	Kenya	MSW	Evaluates the efficacy and feasibility of pre-exposure prophylaxis (PrEP) to prevent HIV infections in a population of male sex workers (MSW) in eastern Kenya. This project aims to be among the first to evaluate the feasibility, acceptability and impact of pre-exposure prophylaxis (PrEP) on HIV risk among male sex workers (MSW) in Malindi, Kenya. This project will integrate PrEP into three existing health facilities serving sex workers in Malindi in order to document and analyze its impact on HIV incidence, as well as PrEP uptake, adherence, side effects, cost and other factors that may influence replication and scalability of this potentially transformational intervention.	Planned	Planned; expected April 2016–March 2018.
<b>PRELUDE Study</b>	Kirby Institute	Demonstration Project	Australia	High Risk Individuals	To look into how clinics can provide PrEP. It will study whether people find it easy and agreeable to take PrEP every day, why they take it, what it's like to take it, and whether it changes how they have sex. It will study how easy it is for doctors to use it with their patients, and what resources are necessary to make PrEP available.	Completed	Completed; no longer providing PrEP to former participants.

<b>PrEP Adherence Enhancement Guided by iTAB and Drug Levels for Women (AEGiS)</b>	California HIV Research Program	Demonstration Project	USA	Women, FSW	The purpose of this study is to test a program that uses drug level monitoring, text messaging ("ITAB") and personalized counseling with HIV prevention services, including PrEP (medicine that can help prevent HIV infection when taken daily).	Ongoing	Ongoing; started May 2016.
<b>PrEP at SCC@Tropmed</b>	TBD	Implementation Project	Thailand	MSM, Transgender Women, cis-men	PrEP service as part of a sexual health care package - focused on key populations in Bangkok.	Ongoing	Ongoing; started March 2016.
<b>PrEP Impact Trial</b>	NHS England	Implementation Project	England	High Risk Individuals	The PrEP Impact Trial looks to answer key questions about the use of PrEP by high-risk groups in England. The trial is planned to last three years and enroll 10,000 participants. Overall, it aims to address the outstanding questions about eligibility, uptake and length of use through expanding the assessment to the scale required to obtain sufficient data.	Ongoing	Ongoing; started in September 2017. Expected completion in 2020.
<b>PrEP Implementation for Mothers in Antenatal Care (PRIMA)</b>	NIH, NIAID	Cluster randomized controlled trial	Kenya	Adolescent women, women, serodiscordant couples	This cluster randomized controlled trial aims to determine the best model for optimized PrEP delivery in pregnancy by using existing highly accessed MCH systems as a platform for efficiently delivering PrEP to pregnant women. Twenty ANC clinics in Western Kenya (Siaya and Homa Bay counties) were randomized, ten to universal and ten to targeted PrEP administration. Overall, 4000 women will be enrolled (200 women per clinic) and followed through nine months postpartum. The primary outcome is HIV incidence at nine months postpartum and additional outcomes (PrEP uptake, PrEP continuation and adherence). We are also collecting data on psychosocial factors that may influence uptake, adherence, and retention, birth and infant outcomes, partner HIV-status knowledge, and sexual behavior information.	Ongoing	Ongoing; started in May 2016. Expected completion June 2020.
<b>PrEP Implementation with US HIV-Serodiscordant Couples: Couples PrEP Demo Project</b>	University Of Rochester	Open Label Study	USA	Serodiscordant Couples	A mixed-methods prospective open-label demonstration project of daily oral Truvada/PrEP among HIV-serodiscordant heterosexual couples in high-prevalence communities in New York City. The specific aims are to describe the temporal patterns and identify multilevel determinants of PrEP outcomes, including (a) uptake, acceptability and retention in care, (b) medication adherence, (c) safety and toxicity, (d) compliance with HIV testing and clinical monitoring, and (e) changes in sexual risk behavior. This research employs a biobehavioral multi-site longitudinal design to identify critical factors affecting PrEP implementation outcomes at the provider, dyadic, and individual level.	Ongoing	Ongoing; started July 2017.
<b>PrEP In Germany PRIDE Study</b>	TBD	Implementation Project	Germany		TBD	Ongoing	Ongoing.
<b>PrEP Operational Research Project</b>	MSF	Demonstration Project	Mozambique	MSM, FSW	Operating in the "corridor," a busy trade route frequented by truckers that runs through Mozambique, Malawi, and Zimbabwe. MSF is providing HIV screening and care to sex workers, drivers, and MSM in the region.	Ongoing	Ongoing; started in 2016. Expected completion October 2018.
<b>PrEP Pilot in Nepal</b>	TBD	Demonstration Project	Nepal	MSM, Male sex workers, FSW, Transgender women	Participants are offered PrEP for 90 days at no cost, with HIV, STI and other tests included in the care package. The aims of the pilot programme aims include feasibility and acceptability, determinants of uptake, adherence and retention, safety, and STI acquisition.	Ongoing	Ongoing; started November 2018.
<b>PrEP substudy</b>	Department of Disease Control, Thai MOPH, and Thailand MOPH-US CDC Collaboration, Thai Red Cross AIDS Research Centre	Implementation Project	Thailand	MSM, Transgender Individuals, MSW, Transgender Sex Workers	This study aims to expand access oral PrEP access among MSM and Transgender individuals through seven CBOs in Bangkok, Pattaya, Chiang Mai and Hat Yai, overall offering 600 spaces. CBO's include SWING Foundation, Sisters Foundation, and the Rainbow Sky Association of Thailand.	Completed	Completed; ended 2018.
<b>PrEP-30*</b> <i>*The project name was changed in June 2018 to PrEP-15 due to the availability of another generic PrEP drug which costs only 60% of the original generic PrEP drug used in the service.</i>	Thai Red Cross; AIDS Research Centre	Demo Project	Thailand	FSW, MSM, Transgender women, Adolescent women, Adolescent men, Women, Men, Serodiscordant couples	Fee-based PrEP service delivery at the Thai Red Cross Anonymous Clinic for Thai and non-Thai clients regardless of gender and age.	Ongoing	Ongoing; started in 2014.



<b>PrEP@PIMAN: Acceptability of HIV Oral Pre-Exposure Prophylaxis (PrEP) Among Men Have Sex With Men (MSM) and Transgender Women (TGW)</b>	Research Institute for Health Sciences	Demonstration Project	Thailand	MSM, Transgender Women	After receiving information about PrEP, the participants will have a chance to decide whether they want to take PrEP or not. The set of questions asking about reason(s) for taking (or not taking) PrEP are used to evaluate the acceptability. The questions will evaluate multiple aspects such as knowledge about PrEP (efficacy and medications side effect), personal belief about PrEP, sexual practice, social stigma, and concern for HIV resistance. The participants will answer these questions via Computer-Assisted Self Interviewing (CASI).	Ongoing	Ongoing; started December 2015.
<b>PrEP2Start</b>	TBD	Implementation Project	Thailand	MSM, Transgender women, Serodiscordant couples, High Risk Individuals	Program led by MOPH/TUC to strengthen public health system to provide PrEP in hospitals and health centers in 7 provinces.	Ongoing	Ongoing; started January 2017.
<b>PREPare Morocco</b>	Global Fund to fight AIDS, Malaria and Tuberculosis, UNAIDS, Ministry of health of Morocco, Association de lutte contre le sida (ALCS)	Implementation Project	Morocco	MSM, FSW	The project is taking place in three Moroccan cities, Agadir, Casablanca and Marrakesh, and will include 400 participants, 300 MSM and 100 FSW. The main objective of the study is to assess the feasibility of PrEP and the acceptability of key populations to use this new combined prevention tool.	Completed	Completed May 2018.
<b>PrEPBrasil</b>	Oswaldo Cruz Foundation	Demonstration Project	Brazil	MSM, Transgender Women	Enrolled 499 MSM and transgender women to assess the acceptability, feasibility and safety of daily, oral TDF/FTC as PrEP over 12 months. Continuing for an additional 48 weeks and enrolling 50 more participants at two sites.	Completed	Completed; no longer providing PrEP to former participants.
<b>PrEPIT-WA Demonstration Project</b>	WA AIDS Council, the Department of Health, and the Kirby Institute	Demonstration Project	Australia	TBD	WA AIDS Council is undertaking a 2000 place PrEP trial. The trial will be a joint partnership between the WA AIDS Council, the Department of Health and the Kirby Institute.	Ongoing	Ongoing; started November 2017.
<b>Prepped for PrEP (P4P)</b>	TBD	Implementation Project	Vietnam	MSM, Transgender individuals, PWID, Serodiscordant couples	A collaboration between the Ministry of Health and USAID/PATH in Hanoi and Ho Chi Minh City.	Ongoing	Ongoing.
<b>PrEPvention: Pre Exposure Prophylaxis of HIV/AIDS among MSM and Trans Women in Georgia</b>	National Center for Disease Control and Public Health; The Global Fund to Fight AIDS, TB and Malaria	Demonstration Project	Georgia	MSM, Transgender Women	The purpose of the demonstration project is to introduce an innovative HIV prevention method among MSM and Trans Women in Georgia, the most vulnerable populations to HIV/AIDS, ultimately resulting reduced acquisition of HIV infection. The project aims to provide 100 individuals with daily oral PrEP. Service Delivery is split among providers, AIDS Center is providing clinical services and medication prescription, while Equality Movement provides recruitment and social and support services. Combination medication TDF/FTC (Truvada) is the medication used within the project. While services are based in Tbilisi, individuals from other parts of the country may participate as well.	Ongoing	Ongoing; started August 2017.
<b>Prévenir (Prevent)</b>	Inserm-ANRS	Implementation Project	France	MSM, Men, Women, Transgender men, Transgender women	Interventional HIV prevention strategy based on pre-exposure prophylaxis (PrEP) for people in the Île-de-France area (or Paris region) who don't have HIV but who are at high risk of becoming infected with HIV (MSM, transgender men and women, heterosexual men and women, sex workers, migrants) in combination with overall prevention services (community-based or educational counselling; addiction, social and psychological care; condoms and lubricating gel; clean injection equipment; sexually transmitted diseases (STD) screening and treatment; hepatitis A virus (HAV), hepatitis B virus (HBV) and hepatitis C virus (HCV) vaccinations and post-exposure treatment of HIV infection as soon as possible after diagnosis using an antiretroviral combination recommended by the French Guidelines on HIV treatment).	Ongoing	Ongoing; started May 2017. Expected completion October 2020.
<b>Princess PrEP</b>	Thai Red Cross, Princess Soamsawali Prevention Fund (public donation fund), USAID/LINKAGES	Demonstration Project	Thailand	FSW, MSM, Transgender women/men, PWID	PrEP service delivery by trained key population community health workers (KP-CHW) through 7 drop-in centers working with MSM, male sex workers, TGW, TG sex workers (to be extended to PWID and female sex workers in FY 2018), for Thai and non-Thai clients regardless of age.	Ongoing	Ongoing; started 2016. Expected completion in 2019.

<b>PrEP Implementation in Young Women and Adolescent girls- DREAMS Innovation Challenge (PrIYA)</b>	DREAMS Innovation Challenge funded by PEPFAR and managed by JSI Research & Training Institute, Inc.	Implementation Project	Kenya	AGYW, Pregnant women	PrIYA is an implementation project to integrate delivery of oral PrEP in Maternal and Child Health and Family Planning clinics and to evaluate how to efficiently reach women who might benefit from PrEP. PrIYA is funded through the DREAMS Innovation Challenge.	Completed	Completed March 2019.
<b>Project PrEPare</b>	NICHD	Clinical Trial	USA	MSM	Designed to explore the safety, acceptability and feasibility of PrEP among young men who have sex with men (YMSM) who are at risk for HIV infection. This study will take place at clinical sites across the US with about 100 HIV-uninfected YMSM.	Completed	Completed; no longer providing PrEP to former participants.
<b>Project PrEPY (PrEP Pilipinas)</b>	amfAR	Demonstration Project	Philippines	MSM, Transgender women	This is a 24-month pilot study on pre-exposure prophylaxis (PrEP) to inform wider implementation of PrEP services for men who have sex with men (MSM) in the Philippines. It will examine community-based delivery of preventive HIV pre-exposure prophylaxis for men who have sex with men and transgender women (TGW) at high risk for HIV infection. The goal of this pilot project is to deliver, evaluate and document community-based HIV PrEP services for MSM/TGW at high risk for HIV infection in metro Manila. The objectives are to evaluate feasibility, acceptability, eligibility, uptake, adherence and behavioral impact whilst determining breakthrough HIV infection, antiretroviral drug resistance in those breakthrough infections and prevalence and incidence of curable sexually transmitted infections.	Ongoing	Ongoing; started June 2017.
<b>PROUD (pilot trial)</b>	MRC, Public Health England	Open label extension	England	MSM, Transgender women	In order to determine whether the immediate inclusion of anti-retroviral pre-exposure prophylaxis (PrEP) as part of the HIV risk reduction package for men who have sex with men who are at risk of acquiring HIV is clinically effective and cost-effective, a large trial of ~5,000 MSM would need to be conducted. The purpose of the PROUD pilot is to determine the feasibility of conducting such a trial in the UK.	Completed	Completed.
<b>Pulse Silom Clinic</b>	TBD	Implementation Project	Thailand	TBD	TBD	Ongoing	Ongoing.
<b>SAUTI</b>	USAID, PEPFAR	Demonstration Project	Tanzania	FSW, Serodiscordant Couples, partners of FSW	The aim of the proposed project is to generate data on the implementation models, uptake, feasibility and acceptability HIV self-testing and PrEP in Tanzania through community services provision to inform future policy and program development. The project goal is to achieve the UNAIDS first 90, and ensure populations with high risk of acquiring HIV remain negative. This project will target KVPs in selected areas.	Ongoing	Ongoing; started October 2017.
<b>SEARCH (Sustainable East Africa Research in Community Health)</b>	BMGF	Demonstration Project	Kenya, Uganda	People at high risk of HIV	This is the PrEP extension of the SEARCH study which is underway in over 320,000 participants in Kenya and Uganda.	Ongoing	Ongoing; recruitment began April 2017.
<b>Seasonal Use of PrEP in Mozambique - Short course pre-exposure prophylaxis (PrEP) for female partners of migrant miners in the Gaza Province of Mozambique</b>	BMGF through WHO	Demonstration Project	Mozambique	Women	The overall aim of the proposed study was to assess the feasibility and acceptability of providing short term daily oral PrEP (once daily FTC/TDF 200mg/300mg) as a potential HIV prevention tool to HIV-negative female partners of male miners in Gaza Province, Mozambique. Additional objectives were also to identify facilitators and barriers to uptake and adherence with short term once daily PrEP for HIV prevention among female partners of miners; to assess safety of PrEP use in terms of adverse events requiring discontinuation of PrEP and social harms II to evaluate effect of PrEP on sexual behaviors among participants and to assess correlation between self-reported adherence, adherence measured by pill count and drug level.	Completed	Completed in 2017.
<b>Senegal Demonstration Project with Reseau Africain De Recherche Sur Le Sida, University of Washington, and Westat</b>	BMGF	Demonstration Project	Senegal	FSW	Two phase project including a formative research phase followed by a prospective study of PrEP with TDF/FTC to assess changes in HIV incidence and prevalence in FSW followed at IHS, and Pikine, Mbaou, Rufisque and Diambadio Health Centers over 12 months during the implementation of PrEP and compare that to detailed historical data in this population dating back to 1985.	Completed	Completed; ended December 2016.

<b>Sibanye Health Project</b>	NIH	Demonstration Project	South Africa	MSM, Men, Transgender Women	A comprehensive HIV Prevention Package for MSM in Southern Africa.	Completed	Completed; no longer providing PrEP to former participants.
<b>Sisters Antiretroviral therapy Programme for Prevention of HIV –an Integrated Response (SAPPH-Ire)</b>	DFID; UNFPA	Demonstration Project	Zimbabwe	FSW, AGYW	Seeks to enhance HIV treatment and prevention among highway-based sex workers at 7 sites by increasing uptake and frequency of testing, demonstrate acceptability and feasibility of delivering PrEP, maximize retention in care, promote timely initiation of ART for those eligible, and maximize adherence to both ART and PrEP. The evaluation will be in a representative population based sample of 2,800 sex workers, with an estimated 1,000 to 1,500 targeted to take PrEP, after 18 months.	Completed	Completed.
<b>Sophocles - P4G</b>	Hellenic Scientific Society for the Study of AIDS and Sexually Transmitted Diseases	Demonstration project	Greece	MSM and other individuals at high risk for HIV	PrEP demonstration project in healthcare settings. 'Sophocles' is the theoretical part of the study, recruiting recently diagnosed seeds and identifying high risk MSM stemming from their sexual networks.	Ongoing	Ongoing.
<b>Spanish Implementation Study</b>	Public Health System of Spain	Implementation Project	Spain	High Risk Individuals	TBD	Ongoing	Ongoing.
<b>SPARK Project NYC</b>	NIAAA	Implementation Project	USA	MSM, Transgender women	SPARK is a PrEP demonstration-implementation hybrid designed to develop and test an intervention that integrates PrEP delivery and support into a comprehensive prevention package delivered in a “real world” community health center. The project is also designed to identify and examine social and behavioral factors associated with disparities in access to prevention and care services among gay, bisexual, and other men who have sex with men in NYC that might direct or impact PrEP implementation programs and policies.	Completed	Completed; ended July 2017.
<b>Sustainable Health center Implementation PrEP Pilot Study (SHIPP)</b>	CDC; CDC Foundation; Gilead Sciences	Implementation Project	USA	MSM, PWID, and heterosexually-active men and women who are at substantial risk of acquiring HIV	Evaluates real-world PrEP use in MSM, heterosexual women and men and people who inject drugs in four federally qualified health centers and primary care services, in 1,200 participants.	Ongoing	Ongoing; started October 2014.
<b>Taiwan Demonstration Project with at-risk populations</b>	Taiwan CDC	Demonstration Project	Taiwan	High Risk Individuals	TBD	Ongoing	Ongoing.
<b>Taiwan Demonstration Project with serodiscordant couples and young MSM</b>	Taiwan CDC	Demonstration Project	Taiwan	MSM, Serodiscordant couples	TBD	Ongoing	Ongoing.
<b>Technical Support to Enhance HIV/AIDS Prevention and Opportunities in Nursing Education (TSEPO)</b>	USAID	Implementation Project	Lesotho	High Risk Individuals	TBD	Ongoing	Ongoing.
<b>The QPrEP Demonstration Project</b>	Queensland Health, HIV Foundation Queensland	Demonstration project	Australia	MSM	To assess the feasibility of PrEP provision through sexual health clinics and general practice services (with S100 prescribers) in Queensland.	Completed	Completed; no longer providing PrEP to former participants.
<b>The Queensland Pre-Exposure Prophylaxis Demonstration Project Expansion (QPrEPd)</b>	Queensland Health, Queensland AIDS Council, University of Queensland	Demonstration project	Australia	High Risk Individuals	To assess the feasibility of PrEP provision through sexual health clinics and general practice services (with S100 prescribers) in Queensland.	Completed	Completed January 2019.
<b>The Stay Study: A Demonstration Project Advancing PrEP Delivery in the San Francisco Bay Area Transgender Community</b>	Public Health Foundation Enterprises, Inc.	Demonstration Project	USA	Transgender Individuals	The Stay Study is a multi-site, open-label HIV pre-exposure prophylaxis (PrEP) demonstration project for advancing PrEP delivery in the San Francisco Bay Area Transgender Community. Approximately 188 HIV-uninfected participants will be enrolled at 4 sites in San Francisco and Fremont and will be provided Truvada to take orally once daily as PrEP.	Ongoing	Ongoing; started August 2017. Expected completion March 2020.
<b>The TAPS Demonstration Project</b>	BMGF	Demonstration project	South Africa	FSW	Evaluates whether oral PrEP and immediate treatment can be rolled out within a combination prevention and care approach tailored to needs of 400 HIV-negative and 300 HIV-positive female sex workers. Study sites include Hillbrow and Pretoria.	Completed	Completed; no longer providing PrEP to former participants.

<b>Tokyo Center Hospital of the National Center for Global Health and Medicine PrEP Demo</b>	TBD	Demonstration Project	Japan	MSM, High Risk Individuals	A clinical study to determine whether HIV infection rates can be reduced if high-risk individuals take anti-viral medicine on a daily basis.	Ongoing	Ongoing; started February 2018. Expected completion February 2020.
<b>Transgender Women Project Federal University of Bahia</b>	Federal University of Bahia	Demonstration Project	Brazil	Transgender Women	A study focusing on the acceptability of PrEP among transgender women in Salvador Brazil.	Ongoing	Ongoing.
<b>TransPrEP: Social Network-Based PrEP Adherence for Transgender Women in Peru</b>	University of California, Los Angeles, NIH, NIMH	Demonstration Project	Peru	Transgender Women	Using a health promotion behavioral model that combines Social Action Theory with social network theories of information dissemination and collective behavior change, the investigators propose to develop and refine a network-based intervention that promotes PrEP adherence in the existing social networks of TW. Formative research will outline individual, partner-level, and network-based contexts of sexual risk behavior, patterns of social network interactions, anticipated adoption and use of new prevention technologies, and optimal content for a PrEP adherence intervention. Findings will be used to define the elements of a prevention intervention using social networks of TW and social media technologies to generate, implement, and reinforce social norms of PrEP adherence and risk behavior reduction for TW.	Completed	Completed; ended July 2018.
<b>UNAIDS PrEP Pilot in Ho Chi Minh City</b>	UNAIDS	Implementation Project	Vietnam	High Risk Individuals	TBD	Completed	Completed.
<b>UNICEF PrEP Demo Program</b>	UNITAID	Demonstration Project	Brazil, South Africa, Thailand	Sexually active adolescents	Combination HIV prevention interventions including oral PrEP.	Planned	Planned.
<b>VicPrEP Demonstration Project</b>	Alfred Health in conjunction with the Victorian AIDS Council/Gay Men's Health; funded by the Victorian Department of Health	Demonstration Project	Australia	MSM, Transgender Women, Serodiscordant couples, N-PEP Users	To determine the effectiveness of PrEP in the local setting, and the factors contributing to its success. A total of 115 people at high risk of HIV infection have been enrolled, taking PrEP for up to 30 months.	Completed	Completed; no longer providing PrEP to former participants.