What do you think?


Malawi Stakeholders Meeting for the DELIVER and B-PROTECTED Studies

March 22 2019

DELIVER AND B-PROTECTED will evaluate PrEP and the dapivirine ring in pregnant and breastfeeding women. Do you think these studies will be a cause for concern in your community?


A. NO, as long as there is proper community and stakeholder engagement prior to and during each of the studies there shouldn't be any problems or concerns.

B. YES. No amount of community and stakeholder engagement could address concerns about the fact that these studies will be involving pregnant and breastfeeding women.




What do you think might turn women away from participation in the DELIVER or B-PROTECTED studies?

- A. The fact that they will be randomized to use either PrEP or the ring
- B. The time and commitment involved (clinic visits, etc.)
- C. Their partner or family (mother, mother-in-law) not being supportive
- D. The unknowns about the safety of PrEP and the ring in pregnancy
- E. All of the above



Which product concerns you the most in terms of its use in pregnant women?

- A. PrEP because it is systemic (the drug goes throughout the body)
- B. The ring because it hasn't been studied enough
- C. The ring because it would be a foreign object in women's vaginas
- D. PrEP because of the stigma of using an ARV



DELIVER: 4 Groups of Women

 DELIVER will enroll 750 pregnant women at different times during pregnancy

Group 1 – 36+ weeks pregnant (about 8-9 months)

Group 2 – 30-35 weeks pregnant (about 7-8 months)

Group 3 – 20-29 weeks pregnant (about 5-7 months)


Group 4 – 12-19 weeks pregnant (about 3-5 months)






The purpose of enrolling women late in pregnancy (group 1) in DELIVER is...

- A. To determine whether or not PrEP and the ring prevent HIV
- B. To determine whether or not women are willing to put something in the vagina late in pregnancy
- C. To determine whether PrEP and the ring are safe to use late in pregnancy
- D. There is no point in answering this question because women won't want to enroll in this study anyway




Which group of women will be the most difficult to enroll into the study?

- **A. Group 1** 36+ weeks pregnant (8-9 months)
- **B.** Group 2 30-35 weeks (7-8 months)
- **C. Group 3** 20-29 weeks (5-7 months)
- **D. Group 4** 12 -19 weeks (3-5 months)



Which group of women do you have the greatest concerns about participation in DELIVER?

- **A.** Group 1 36+ weeks pregnant (8-9 months)
- **B.** Group 2 30-35 weeks (7-8 months)
- **C. Group 3** 20-29 weeks (5-7 months)
- **D. Group 4** 12 -19 weeks (3-5 months)



The first woman in the DELIVER study here in Malawi has her baby – the first baby of the study. What should she name her baby?

- A. Gift
- B. Precious
- C. Bonus
- D. Sharon
- E. None of the above I have a much better name

